MA\QUALIFIER EXAM, TOPOLOGY, SP 2008 (52 PTS)

NAME

I. BASICS.

- 1. Let X be a space, $A \subset B \subset X$, and $x \in A'$. Show that $x \in B'$. (3 pts)
- 2. Suppose that $f: X \to Y$ is a function between spaces X and Y and f is continuous at x for all $x \in X$. Prove that for each open subset Y of Y, $f^{-1}(Y)$ is open in X. (3 pts)
- 3. Let $f: X \to Y$ and $g: Y \to Z$ be maps. Prove that $g \circ f: X \to Z$ is a map. (3 pts)
- 4. Let A be a closed subset of a space X, suppose that (x_n) is a sequence in A, and (x_n) converges to an element x of X. Show that $x \in A$. (3 pts)
- 5. Let X be a compact space and $f: X \to Y$ a surjective map. Prove that Y is compact. (3 pts)
- 6. Suppose that A is a connected subspace of a space X. Show that \overline{A} is connected. (3 pts)
- 7. Let X, Y be nonempty spaces where Y is compact. Prove that the coordinate projection $\pi_X: X \times Y \to X$ is a closed map. (You may use the Tube Lemma). (3 pts)
- 8. Suppose that X is a space, $f: X \to Y$ is a surjective function, and Y is given the quotient topology induced by the function f. Prove that f is a map. Let Z be a space and $g: Y \to Z$ a function. Prove that g is a map iff $g \circ f$ is a map. (3 pts)

II. MORE ADVANCED.

- 1. Let $f: X \to Y$ be a map between spaces X and Y and suppose that A is a G_{δ} -subset of Y. Show that $f^{-1}(A)$ is a G_{δ} -subset of X. (3 pts)
- 2. Let X be a space and \mathcal{F} a locally finite collection of closed subsets of X. Prove that $\bigcup \mathcal{F}$ is closed in X. (3 pts)
- 3. Let X be a regular space and \mathcal{B} a base for its topology. Suppose that for each pair $U, V \in \mathcal{B}$ with $\overline{U} \subset V$, there is a map $f_{U,V}: X \to [0,1]$ with $f_{U,V}(\overline{U}) \subset \{0\}$ and $f_{U,V}(X \setminus V) \subset \{1\}$. Prove that $\{f_{U,V} \mid U, V \in \mathcal{B}, \overline{U} \subset V\}$ separates points and closed sets. (We will use this definition. A collection \mathcal{F} of maps of X to [0,1] separates points and closed sets if for each $x \in X$ and closed subset A of X with $x \notin A$, there exists $f \in \mathcal{F}$ with f(x) = 0 and $f(A) \subset \{1\}$.) (3 pts)
- 4. Let X be a locally compact space, Y a space, and $f: X \to Y$ a function. Prove that f is a map if $f|K: K \to Y$ is a map for each compact subset K of X. (3 pts)

Continue on next page.

- 5. Let X be a space and $\{Y_{\alpha} \mid \alpha \in \Gamma\}$ an indexed collection of spaces. Suppose that $f: X \to \prod \{Y_{\alpha} \mid \alpha \in \Gamma\}$ is a function. Prove that f is a map iff $\pi_{\alpha} \circ f: X \to Y_{\alpha}$ is a map for all $\alpha \in \Gamma$. (3 pts)
- 6. Let (X, d) be a complete metric space. Suppose that (D_n) is a sequence of closed subsets of X such that for each $n \in \mathbb{N}$,
 - (1) $D_{n+1} \subset D_n$, and
 - (2) there exists $x_n \in D_n$ such that $D_n \subset B_d(x_n, \frac{1}{2n})$.

Prove that (x_n) is a Cauchy sequence, (x_n) has a limit $x \in X$, and x is an element of D_n for all $n \in \mathbb{N}$. (3 pts)

- 7. Suppose that B is a space, S is a subspace of B, and $a \in S$. Assume that $\pi_1(B, a)$ is a finite group and $\pi_1(S, a)$ is an infinite group. Prove that there does not exist a retraction r of B onto S. (3 pts)
- 8. Let X be a set and d the discrete metric on X. Prove that (X, d) is a complete metric space. (3 pts)
- 9. This problem deals with Baire spaces and complete metrics.
 - (a) Give an example of a countably infinite subset S of \mathbb{R} so that with the standard metric d, (S,d) is a complete metric space. Prove your claim. Is your example a Baire space? Explain. (2 pts)
 - (b) Show that \mathbb{Q} with its standard topology is not a Baire space. Explain why \mathbb{Q} cannot be given a complete metric that induces its topology. (2 pts)

End of Exam. Please turn in this sheet with your solutions all stapled together.